

# SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

# Givaudan

## REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

### SECTION 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Sales No. : EAL02391/00  
REFRESHING WOOD

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Intended Use Fragrances : Perfume compound

#### 1.3 Details of the supplier of the safety data sheet

Company : Givaudan Suisse SA  
Chemin de la Parfumerie 5  
CH-1214 VERNIER

Telephone : +41227809111  
Telefax : +41227809150  
E-mail address : global.sds\_info@givaudan.com  
Responsible/issuing person

#### 1.4 Emergency Call

Givaudan 24/7 call : +33172110003

Please refer to section 16 for a full list of emergency phone numbers, from Givaudan's 24/7 provider.

### SECTION 2. Hazards identification

#### 2.1 Classification of the substance or mixture

**Classification (REGULATION about classification, labeling and packaging of substances and mixtures No 28848)**

|                                                |                                                        |
|------------------------------------------------|--------------------------------------------------------|
| Skin irritation, Category 2                    | H315: Causes skin irritation.                          |
| Eye irritation, Category 2                     | H319: Causes serious eye irritation.                   |
| Skin sensitisation, Category 1                 | H317: May cause an allergic skin reaction.             |
| Long-term (chronic) aquatic hazard, Category 2 | H411: Toxic to aquatic life with long lasting effects. |

#### 2.2 Label elements

**Labelling (REGULATION about classification, labeling and packaging of substances and mixtures No 28848)**

Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 30 244 920/25 833 472

# SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

# Givaudan

## REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

Hazard pictograms :



Signal word :

**Warning**

Hazard statements :

**H315**

**Causes skin irritation.**

**H317**

**May cause an allergic skin reaction.**

**H319**

**Causes serious eye irritation.**

**H411**

**Toxic to aquatic life with long lasting effects.**

Precautionary statements :

**Prevention:**

**P261**

**Avoid breathing mist or vapours.**

**P264**

**Wash skin thoroughly after handling.**

**P273**

**Avoid release to the environment.**

**P280**

**Wear protective gloves/ eye protection/ face protection.**

**Response:**

**P333 + P313**

**If skin irritation or rash occurs: Get medical advice/ attention.**

**P391**

**Collect spillage.**

Hazardous components which must be listed on the label:

- 4-tert-butylcyclohexyl acetate 32210-23-4
- 2-methoxy-4-(2-propen-1-yl)-phenol 97-53-0 (eugenol)
- (R)-p-mentha-1,8-diene 5989-27-5
- geraniol 106-24-1
- Eucalyptus oil 8000-48-4
- 3,7-dimethyl-2,6-octadien-1-ol (= nerol) 106-25-2
- methyl 2,4-dihydroxy-3,6-dimethylbenzoate 4707-47-5
- 4,11,11-trimethyl-8-methylenebicyclo[7.2.0]undec-4-ene (= Caryophyllene) 87-44-5

### 2.3 Other hazards

Hazards not Otherwise Classified. : None

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 30 244 920/25 833 472

# SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

# Givaudan

## REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

### SECTION 3. Composition/information on ingredients

#### 3.2 Mixtures

##### Hazardous components

| Chemical name                                   | CAS-No.<br>EC-No.<br>Registration<br>number | Classification<br>(Regulation TR<br>28848)                                                                                                           | Concentration<br>[%] |
|-------------------------------------------------|---------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------|
| 4-tert-butylcyclohexyl acetate                  | 32210-23-4<br>250-954-9                     | Skin Sens. 1B;<br>H317<br><br>Acute toxicity<br>estimate<br><br>Acute oral toxicity:<br>3 370 mg/kg<br>Acute dermal<br>toxicity: > 5 000,00<br>mg/kg | >= 5 - < 10          |
| 2,6-dimethyl-7-octen-2-ol                       | 18479-58-8<br>242-362-4                     | Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br><br>Acute toxicity<br>estimate<br><br>Acute oral toxicity:<br>3 600,00 mg/kg                            | >= 1 - < 5           |
| 2-phenylethanol                                 | 60-12-8<br>200-456-2                        | Acute Tox. 4; H302<br>Eye Irrit. 2; H319<br><br>Acute toxicity<br>estimate<br><br>Acute oral toxicity:<br>1 610 mg/kg                                | >= 1 - < 5           |
| 2-methoxy-4-(2-propen-1-yl)-phenol<br>(eugenol) | 97-53-0<br>202-589-1                        | Eye Irrit. 2; H319<br>Skin Sens. 1B;<br>H317                                                                                                         | >= 1 - < 5           |

##### Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25  
Sales & Distribution Information: VE01/FR/CH11/01  
Shipping Order Information: 30 244 920/25 833 472

# SAFETY DATA SHEET

Prepared in accordance with the provisions of KKKDIK Annex-2

Regulation, 23.06.2017, No: 30105

# Givaudan

## REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

|                                                         |                                                |                                                                                                                                                                                                                                                                         |              |
|---------------------------------------------------------|------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|
|                                                         |                                                | <hr/> Acute toxicity estimate<br><br>Acute oral toxicity:<br>2 130,00 mg/kg                                                                                                                                                                                             |              |
| 2-(4-methylcyclohex-3-en-1-yl)propan-2-ol (= Terpeneol) | 8000-41-7<br>98-55-5<br>232-268-1<br>202-680-6 | Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br><br><hr/> Acute toxicity estimate<br><br>Acute oral toxicity:<br>4 000,00 mg/kg                                                                                                                                            | >= 1 - < 5   |
| (R)-p-mentha-1,8-diene                                  | 5989-27-5<br>227-813-5                         | Flam. Liq. 3; H226<br>Skin Irrit. 2; H315<br>Skin Sens. 1B; H317<br>Asp. Tox. 1; H304<br>Aquatic Acute 1; H400<br>Aquatic Chronic 3; H412<br><br><hr/> Acute toxicity estimate<br><br>Acute oral toxicity:<br>5 600,00 mg/kg<br>Acute dermal toxicity: > 5 000,00 mg/kg | >= 1 - < 2,5 |
| geraniol                                                | 106-24-1<br>203-377-1                          | Skin Irrit. 2; H315<br>Eye Dam. 1; H318<br>Skin Sens. 1; H317<br><br><hr/> Acute toxicity estimate<br><br>Acute oral toxicity:<br>3 600,00 mg/kg<br>Acute dermal toxicity: > 5 000,00 mg/kg                                                                             | >= 1 - < 3   |
| Pentyl 2-hydroxybenzoate                                | 2050-08-0<br>218-080-2<br>01-0000468587-13     | Acute Tox. 4; H302<br>Aquatic Acute 1; H400<br>Aquatic Chronic 1; H410                                                                                                                                                                                                  | >= 1 - < 2,5 |

### Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 30 244 920/25 833 472

**SAFETY DATA SHEET**

Prepared in accordance with the provisions of KKDIK Annex-2

Regulation, 23.06.2017, No: 30105

**Givaudan****REFRESHING WOOD**

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

|                                                      |                                      |                                                                                                                                                                                        |               |
|------------------------------------------------------|--------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------|
|                                                      |                                      | M-Factor (Acute aquatic toxicity): 1<br>M-Factor (Chronic aquatic toxicity): 1<br><br>Acute toxicity estimate<br><br>Acute oral toxicity: 2 000 mg/kg                                  |               |
| Eucalyptus oil                                       | 8000-48-4<br>84625-32-1<br>283-406-2 | Flam. Liq. 3; H226<br>Skin Irrit. 2; H315<br>Skin Sens. 1; H317<br>Asp. Tox. 1; H304<br>Aquatic Chronic 2; H411<br><br>Acute toxicity estimate<br><br>Acute oral toxicity: 4 440 mg/kg | >= 1 - < 2,5  |
| 1-(2,6,6-Trimethylcyclohex-2-en-1-yl)pent-1-en-3-one | 1335-46-2<br>942-741-0               | Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>Aquatic Chronic 2; H411                                                                                                                   | >= 1 - < 2,5  |
| 3,7-dimethyl-2,6-octadien-1-ol (= nerol)             | 106-25-2<br>203-378-7                | Skin Irrit. 2; H315<br>Eye Irrit. 2; H319<br>Skin Sens. 1B; H317<br><br>Acute toxicity estimate<br><br>Acute oral toxicity: 4 500,00 mg/kg                                             | >= 0,1 - < 1  |
| methyl 2,4-dihydroxy-3,6-dimethylbenzoate            | 4707-47-5<br>225-193-0               | Skin Sens. 1B; H317<br><br>Acute toxicity estimate<br><br>Acute oral toxicity: > 8 000,00 mg/kg<br>Acute dermal toxicity: > 5 000,00 mg/kg                                             | >= 0,1 - < 1  |
| diphenyl ether                                       | 101-84-8<br>202-981-2                | Eye Irrit. 2; H319<br>Aquatic Acute 1;                                                                                                                                                 | >= 0,25 - < 1 |

## Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25

Sales &amp; Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 30 244 920/25 833 472

**SAFETY DATA SHEET**

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

**Givaudan****REFRESHING WOOD**

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

|                                                                                 |                       |                                                                                                                                                                                                                                                                                                                                         |                    |
|---------------------------------------------------------------------------------|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|
|                                                                                 |                       | H400<br>Aquatic Chronic 3;<br>H412<br><hr/> M-Factor (Acute<br>aquatic toxicity): 1<br><hr/> Acute toxicity<br>estimate<br><br>Acute oral toxicity:<br>2 450,00 mg/kg<br>Acute dermal<br>toxicity: > 7 940,00<br>mg/kg                                                                                                                  |                    |
| alpha cedrene                                                                   | 469-61-4<br>207-418-4 | Skin Irrit. 2; H315<br>Asp. Tox. 1; H304<br>Aquatic Acute 1;<br>H400<br>Aquatic Chronic 1;<br>H410<br><hr/> M-Factor (Acute<br>aquatic toxicity): 10<br>M-Factor (Chronic<br>aquatic toxicity): 10<br><hr/> Acute toxicity<br>estimate<br><br>Acute oral toxicity:<br>> 5 000,00 mg/kg<br>Acute dermal<br>toxicity: > 5 000,00<br>mg/kg | >= 0,1 - <<br>0,25 |
| 4,11,11-trimethyl-8-<br>methylenebicyclo[7.2.0]undec-4-ene<br>(= Caryophyllene) | 87-44-5<br>201-746-1  | Skin Sens. 1B;<br>H317<br>Asp. Tox. 1; H304<br><hr/> Acute toxicity<br>estimate<br><br>Acute oral toxicity:<br>> 5 000,00 mg/kg<br>Acute dermal<br>toxicity: > 5 000,00<br>mg/kg                                                                                                                                                        | >= 0,1 - < 1       |

For the full text of the H-Statements mentioned in this Section, see Section 16.

**Administrative information:**

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25  
Sales & Distribution Information: VE01/FR/CH11/01  
Shipping Order Information: 30 244 920/25 833 472

# SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

# Givaudan

## REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

### SECTION 4. First aid measures

#### 4.1 Description of first aid measures

- |                         |                                                                                                                                                                                 |
|-------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| General advice          | : Move out of dangerous area.<br>Show this safety data sheet to the doctor in attendance.<br>Do not leave the victim unattended.                                                |
| If inhaled              | : If unconscious, place in recovery position and seek medical advice.<br>If symptoms persist, call a physician.                                                                 |
| In case of skin contact | : If skin irritation persists, call a physician.<br>If on skin, rinse well with water.<br>If on clothes, remove clothes.                                                        |
| In case of eye contact  | : Remove contact lenses.<br>Immediately flush eyes for at least 15 minutes. Get medical attention.                                                                              |
| If swallowed            | : Keep respiratory tract clear.<br>Do not give milk or alcoholic beverages.<br>Never give anything by mouth to an unconscious person.<br>If symptoms persist, call a physician. |

#### 4.2 Most important symptoms and effects, both acute and delayed

- |          |                                                                                                     |
|----------|-----------------------------------------------------------------------------------------------------|
| Symptoms | : no data available                                                                                 |
| Risks    | : Causes skin irritation.<br>May cause an allergic skin reaction.<br>Causes serious eye irritation. |

#### 4.3 Indication of any immediate medical attention and special treatment needed

- |           |                     |
|-----------|---------------------|
| Treatment | : no data available |
|-----------|---------------------|

### SECTION 5. Firefighting measures

#### 5.1 Extinguishing media

- |                                |                                                                                 |
|--------------------------------|---------------------------------------------------------------------------------|
| Suitable extinguishing media   | : Dry chemical<br>Alcohol-resistant foam<br>Carbon dioxide (CO2)<br>Water spray |
| Unsuitable extinguishing media | : High volume water jet                                                         |

#### Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25  
Sales & Distribution Information: VE01/FR/CH11/01  
Shipping Order Information: 30 244 920/25 833 472

## SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

# Givaudan

### REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : Wear self-contained breathing apparatus for firefighting if necessary.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.  
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

### SECTION 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : no data available

#### 6.2 Environmental precautions

Environmental precautions : Prevent product from entering drains.  
If the product contaminates rivers and lakes or drains inform respective authorities.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

Not applicable

### SECTION 7. Handling and storage

#### 7.1 Precautions for safe handling

Advice on safe handling : Do not breathe vapours/dust.  
Avoid exposure - obtain special instructions before use.  
Avoid contact with skin and eyes.  
For personal protection see section 8.  
Smoking, eating and drinking should be prohibited in the application area.  
Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

#### Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 30 244 920/25 833 472



# SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

# Givaudan

## REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

Temperature class : no data available  
Fire-fighting class : no data available  
Dust explosion class : no data available

### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place.  
Containers which are opened must be carefully resealed and kept upright to prevent leakage.  
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage conditions : Ambient / 10-30°C (50-85°F)  
Dry, well ventilated, preferably full, hermetically sealed  
Advice on common storage : Protect against light.  
Storage class (TRGS 510) : 10 Combustible liquids  
Other data : No decomposition if stored and applied as directed.

### 7.3 Specific end use(s)

Specific use(s) : no data available

## SECTION 8. Exposure controls/personal protection

### 8.1 Control parameters

| Components          | CAS-No.  | Value      | Control parameters | Update     | Basis           |
|---------------------|----------|------------|--------------------|------------|-----------------|
| diphenyl ether      | 101-84-8 | TWA        | 1 ppm<br>7 mg/m3   | 2017-02-01 | 2017/164/<br>EU |
| Further information | :        | Indicative |                    |            |                 |
|                     |          | STEL       | 2 ppm<br>14 mg/m3  | 2017-02-01 | 2017/164/<br>EU |
| Further information | :        | Indicative |                    |            |                 |

### 8.2 Exposure controls

Exposure assessment: Exposures are dependent on the product being handled, the potential for chemical release, and any resulting airborne concentrations or dermal

Administrative information:  
Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25  
Sales & Distribution Information: VE01/FR/CH11/01  
Shipping Order Information: 30 244 920/25 833 472

# SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

# Givaudan

## REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

contact. Since product handling and release scenarios vary, and no two workplaces are exactly alike, it is recommended that the potential for exposure be assessed prior to the product's use or introduction. Exposure assessments should be performed by an occupational hygienist, industrial hygienist, or other qualified occupational or environmental health professional. An exposure assessment should be conducted to determine the efficacy of any ventilation and the need for additional PPE. The PPE indicated below are recommendations for worst-case scenario exposures. An exposure assessment will identify more applicable measures to be implemented. EN and ANSI standards are mentioned in the following recommendations, consult equivalent local standards when required.

PPE is always the last resort to avoid exposure. In any case technical and organisational measures have to be explored and used prior to the selection of PPE. The PPE selection is for operators trained to work with chemicals according to good industrial hygiene and safety practice. Operators have to be trained on the use of PPE.

### 8.2.1 Engineering measures

Use engineering controls to maintain airborne levels below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, use the product only with adequate ventilation.

### 8.2.2 Personal protective equipment

- |                        |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Eye/face protection    | : Use safety goggles and faceshield tested according to EN 166/ ANSI Z87.1 or equivalent local standard.                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |
| Hand protection        | : Use gloves when handling substance in open systems. Inspect gloves prior to use. Train operators for proper use. If only incidental exposure is expected: (work without direct contact to substance) use gloves tested according EN 16523-1/ASTM F739 or equivalent local standard breakthrough times at least 10 minutes, tested for chemicals indicated in chapter 3 of this SDS. Change gloves frequently. If direct skin contact is expected: use gloves tested according to EN 16523-1/ASTM F739 or equivalent local standard, tested for chemicals indicated in chapter 3 of this SDS. Permeation time must exceed contact time. |
| Other skin protection  | : Wear working clothes covering arms and legs. The type of protective equipment must be selected according to the concentration and amount of the hazardous substance at the specific workplace. Use apron and sleeve covers or complete chemical suit if exposure is expected.                                                                                                                                                                                                                                                                                                                                                          |
| Respiratory protection | : Respiratory protection should be worn when workplace exposures exceed exposure limit requirements or guidelines. If there are no applicable exposure limits or guidelines, use an approved respirator where there is a potential for adverse effects, including but not limited to respiratory irritation or odor,                                                                                                                                                                                                                                                                                                                     |

#### Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25  
Sales & Distribution Information: VE01/FR/CH11/01  
Shipping Order Information: 30 244 920/25 833 472

# SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

# Givaudan

## REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

or where indicated by the exposure assessment. Selection of air-purifying or positive-pressure supplied-air will depend on the results of the exposure assessment which includes an evaluation of the specific operations and the potential airborne concentrations. For emergency conditions, use an approved positive-pressure self-contained breathing apparatus.

In case a risk analysis proved the cartridge respirator as acceptable, use type:  
ABEK-P3 (EN 14387) OR Combination Multi-gas/P100 (42CFR84.193; ANSI Z88.7 or equivalent local standard) as a backup to engineering controls.

In absence of engineering controls, use self-contained breathing apparatus or full face supplied air respirators. Use respirators and components tested and approved under appropriate government standards such as CEN (EU) or NIOSH 42 CFR 84(US).

Thermal hazards : Wear appropriate thermal protective clothing, when necessary.

Hygiene measures : Remove contaminated clothing and protective equipment before entering eating areas.  
Do not eat, drink or smoke during work.  
Wash hands any time after handling the product.

### 8.2.3 Environmental exposure controls

General advice : Prevent product from entering drains.  
If the product contaminates rivers and lakes or drains inform respective authorities.

## SECTION 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

|                           |                                              |
|---------------------------|----------------------------------------------|
| Physical state            | : liquid                                     |
| Form                      | : liquid                                     |
| Colour                    | : colorless to Very slightly yellow          |
| Taste                     | : not determined                             |
| Odour                     | : woody, Spicy, Fern-like                    |
| Odour Threshold           | : Not applicable                             |
| Flash point               | : 83 °C Method: Grabner miniflash closed cup |
| Lower explosion limit     | : not determined                             |
| Upper explosion limit     | : not determined                             |
| Flammability              | : Not applicable                             |
| Particle size             | : no data available                          |
| Oxidizing properties      | : no data available                          |
| Auto-ignition temperature | : not determined                             |

Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 30 244 920/25 833 472

# SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

# Givaudan

## REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

|                                        |                                           |
|----------------------------------------|-------------------------------------------|
| Decomposition temperature              | : no data available                       |
| pH                                     | : not determined                          |
| Melting point                          | : not determined                          |
| Boiling point                          | : not determined                          |
| Vapour pressure                        | : 0,1023 hPa at 20 °C Calculated (99,9 %) |
| Density                                | : 991,97 kg/m3 at 20 °C                   |
| Bulk density                           | : Not applicable                          |
| Water solubility                       | : not determined                          |
| Solubility/qualitative                 | : practically insoluble                   |
| Partition coefficient: n-octanol/water | : Not applicable                          |
| Viscosity, kinematic                   | : no data available                       |
| Relative vapour density                | : no data available                       |
| Evaporation rate                       | : no data available                       |
| Explosive properties                   | : no data available                       |

### 9.2 Other information

Not applicable

## SECTION 10. Stability and reactivity

### 10.1 Reactivity

none

### 10.2 Chemical stability

The product is chemically stable.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : No decomposition if stored and applied as directed.

### 10.4 Conditions to avoid

Conditions to avoid : no data available

### 10.5 Incompatible materials

Materials to avoid : no data available

### 10.6 Hazardous decomposition products

|                                  |                     |
|----------------------------------|---------------------|
| Hazardous decomposition products | : no data available |
| Thermal decomposition            | : no data available |

## SECTION 11. Toxicological information

### 11.1 Information on toxicological effects

#### Acute toxicity

Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 30 244 920/25 833 472

# SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

# Givaudan

## REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

|                                                                          |                                                                                |                     |
|--------------------------------------------------------------------------|--------------------------------------------------------------------------------|---------------------|
| <b>Acute oral toxicity</b>                                               | : Acute toxicity estimate<br>Dose: > 2 000 mg/kg<br>Method: Calculation method |                     |
| <b>Acute oral toxicity</b>                                               |                                                                                |                     |
| 4-tert-butylcyclohexyl acetate                                           | : LD50: 3 370 mg/kg                                                            | Species: Rat        |
| 2,6-dimethyl-7-octen-2-ol                                                | : LD50: 3 600 mg/kg                                                            | Species: Rat        |
| 2-phenylethanol                                                          | : LD50: 1 610 mg/kg                                                            | Species: Rat        |
| 2-methoxy-4-(2-propen-1-yl)-phenol (eugenol)                             | : LD50: 2 130 mg/kg                                                            | Species: Guinea pig |
| 2-(4-methylcyclohex-3-en-1-yl)propan-2-ol (= Terpineol)                  | : LD50: 4 000 mg/kg                                                            | Species: Rat        |
| (R)-p-mentha-1,8-diene                                                   | : LD50: 5 600 mg/kg                                                            | Species: Mouse      |
| geraniol                                                                 | : LD50: 3 600 mg/kg                                                            | Species: Rat        |
| Pentyl 2-hydroxybenzoate                                                 | : LD50: 2 000 mg/kg                                                            | Species: Rat        |
| Eucalyptus oil                                                           | : LD50: 4 440 mg/kg                                                            | Species: Rat        |
| 3,7-dimethyl-2,6-octadien-1-ol (= nerol)                                 | : LD50: 4 500 mg/kg                                                            | Species: Rat        |
| methyl 2,4-dihydroxy-3,6-dimethylbenzoate                                | : LD50: > 8 000 mg/kg                                                          | Species: Rat        |
| diphenyl ether                                                           | : LD50: 2 450 mg/kg                                                            | Species: Rat        |
| alpha cedrene                                                            | : LD50: > 5 000 mg/kg                                                          | Species: Rat        |
| 4,11,11-trimethyl-8-methylenebicyclo[7.2.0]undec-4-ene (= Caryophyllene) | : LD50: > 5 000 mg/kg                                                          | Species: Rat        |
| <b>Acute inhalation toxicity</b>                                         | : No data is available on the product itself.                                  |                     |

### Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25  
Sales & Distribution Information: VE01/FR/CH11/01  
Shipping Order Information: 30 244 920/25 833 472

# SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

# Givaudan

## REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

**Acute dermal toxicity** : No data is available on the product itself.

**Acute dermal toxicity**

4-tert-butylcyclohexyl acetate : LD50: > 5 000 mg/kg Species: Rabbit

(R)-p-mentha-1,8-diene : LD50: > 5 000 mg/kg Species: Rabbit

geraniol : LD50: > 5 000 mg/kg Species: Rabbit

methyl 2,4-dihydroxy-3,6-dimethylbenzoate : LD50: > 5 000 mg/kg Species: Rabbit

diphenyl ether : LD50: > 7 940 mg/kg Species: Rabbit

alpha cedrene : LD50: > 5 000 mg/kg Species: Rabbit

4,11,11-trimethyl-8-methylenebicyclo[7.2.0]undec-4-ene (= Caryophyllene) : LD50: > 5 000 mg/kg Species: Rabbit

**Acute toxicity (other routes of administration)** : No data is available on the product itself.

**Skin corrosion/irritation**

Skin irritation : May cause skin irritation and/or dermatitis.

**Serious eye damage/eye irritation**

Eye irritation : Vapours may cause irritation to the eyes, respiratory system and the skin.

**Respiratory or skin sensitisation**

Sensitisation : No data is available on the product itself.

**Germ cell mutagenicity**

Germ cell mutagenicity : No data is available on the product itself.

**Carcinogenicity**

Carcinogenicity : No data is available on the product itself.

**Reproductive toxicity**

Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 30 244 920/25 833 472

## SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

# Givaudan

### REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

Not classified based on available information.

#### Target Organ Systemic Toxicant - Single exposure

Target Organ Systemic Toxicant - Single exposure : No data is available on the product itself.

#### Target Organ Systemic Toxicant - Repeated exposure

Target Organ Systemic Toxicant - Repeated exposure : No data is available on the product itself.

#### Target Organ Systemic Toxicant - Repeated exposure

##### Aspiration hazard

Aspiration toxicity : No data is available on the product itself.

#### Phototoxicity

Phototoxicity : No data is available on the product itself.

**Further information** : no data available

### 11.2 Information on other hazards

#### Endocrine disrupting properties

##### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

#### Further information

##### Product:

Remarks : no data available

## SECTION 12. Ecological information

### 12.1 Toxicity

#### Components:

**pentyl salicylate:**

#### Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25  
Sales & Distribution Information: VE01/FR/CH11/01  
Shipping Order Information: 30 244 920/25 833 472

# SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

# Givaudan

## REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

M-Factor (Acute aquatic toxicity) : 1

M-Factor (Chronic aquatic toxicity) : 1

### diphenyl ether:

M-Factor (Acute aquatic toxicity) : 1

### [3R-(3alpha,3abeta,7beta,8aalpha)]-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene:

M-Factor (Acute aquatic toxicity) : 10

M-Factor (Chronic aquatic toxicity) : 10

## 12.2 Persistence and degradability

no data available

## 12.3 Bioaccumulative potential

no data available

## 12.4 Mobility in soil

no data available

## 12.5 Results of PBT and vPvB assessment

### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

### Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## 12.7 Other adverse effects

### Product:

Additional ecological information : Toxic to aquatic life with long lasting effects.  
An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

### Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 30 244 920/25 833 472



# SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

# Givaudan

## REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

### SECTION 13. Disposal considerations

#### 13.1 Waste treatment methods

Product : The product should not be allowed to enter drains, water courses or the soil.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

Dispose of in accordance with local regulations.

### SECTION 14. Transport information

#### 14.1 UN number

ADR : UN 3082

IMDG : UN 3082

IATA : UN 3082

#### 14.2 UN proper shipping name

ADR : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(pentyl salicylate, alpha-Cedrene)

IMDG : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.  
(pentyl salicylate, alpha-Cedrene)

IATA : Environmentally hazardous substance, liquid, n.o.s.  
(pentyl salicylate, alpha-Cedrene)

#### 14.3 Transport hazard class(es)

ADR : 9

IMDG : 9

IATA : 9

#### 14.4 Packing group

ADR : III

IMDG : III

#### Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 30 244 920/25 833 472

## SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

# Givaudan

### REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

**IATA** : III

#### 14.5 Environmental hazards

**ADR**

Environmentally hazardous : yes

**IMDG**

Marine pollutant : yes

**IATA (Passenger)**

Environmentally hazardous : yes

**IATA (Cargo)**

Environmentally hazardous : yes

#### 14.6 Special precautions for user

**ADR**

Tunnel restriction code : (-)

**IMDG**

IMDG Code Segregation : None  
Group

#### 14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

### SECTION 15. Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Major Accident Hazard : ENVIRONMENTAL HAZARDS  
Legislation E2  
Quantity 1: 200 t  
Quantity 2: 500 t

Water hazard class : WGK 3 highly hazardous to water  
(Germany) Classification according to AwSV, Annex 1 (5.2)

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment is not required for this substance.

### SECTION 16. Other information

#### Full text of H-Statements

H226 : Flammable liquid and vapour.  
H302 : Harmful if swallowed.  
H304 : May be fatal if swallowed and enters airways.

#### Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 30 244 920/25 833 472

# SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

# Givaudan

## REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

H315 : Causes skin irritation.  
H317 : May cause an allergic skin reaction.  
H318 : Causes serious eye damage.  
H319 : Causes serious eye irritation.  
H400 : Very toxic to aquatic life.  
H410 : Very toxic to aquatic life with long lasting effects.  
H411 : Toxic to aquatic life with long lasting effects.  
H412 : Harmful to aquatic life with long lasting effects.

### Full list of Emergency response numbers worldwide.

|                    | Country                 | Phone nr                         |       | Country                  | Phone nr                          |
|--------------------|-------------------------|----------------------------------|-------|--------------------------|-----------------------------------|
| Europe             | All Europe              | +44 1235 239670                  | APAC  | All East/South East Asia | +65 3158 1074                     |
|                    | France                  | +33 1 72 11 00 03                |       | Sri Lanka                | +65 3158 1195                     |
|                    | Germany                 | +49 89 220 61012                 |       | Taiwan                   | +886 2 8793 3212                  |
|                    | Spain                   | +34 91 114 2520                  |       | Japan                    | 0120 015 230                      |
|                    | Italy                   | 800 699 792                      |       | Indonesia                | 007 803 011 0293                  |
|                    | Netherlands             | +31 10 713 8195                  |       | Malaysia                 | +60 3 6207 4347                   |
|                    | Turkey                  | 0800 621 2139<br>+44 1235 239670 |       | Thailand                 | 001 800 120 666 751               |
|                    | Norway                  | +47 2103 4452                    |       | India                    | +65 3158 1198<br>000 800 100 7479 |
|                    | Greece                  | +30 21 1198 3182                 |       | Pakistan                 | +65 3158 1329                     |
|                    | Portugal                | +351 30880 4750                  |       | Bangladesh               | +65 3158 1200                     |
|                    | Denmark                 | +45 8988 2286                    |       | Philippines              | +63 2 8231 2149                   |
|                    | Sweden                  | +46 8 566 42573                  |       | Vietnam                  | +84 28 4458 2388                  |
|                    | Poland                  | +48 22 307 3690                  |       | Korea                    | +65 3158 1285                     |
|                    | Czech republic          | +420 228 882 830                 |       | South Korea              | +82 2 3479 8401                   |
|                    | Finland                 | +358 9 7479 0199                 |       | Australia                | +61 2 8014 4558                   |
| Middle East/Africa | All Middle East/Africa  | +44 1235 239671                  | LATAM | New Zealand              | +64 9 929 1483                    |
|                    | Bahrain and Middle East | +44 1235 239671                  |       | China                    | +86 532 8388 9090                 |
|                    | Africa/South Africa     | +27 21 300 2732                  |       | Mexico                   | +52 55 5004 8763                  |
| NOAM               | USA and Canada          | +1 866 928 0789                  |       | Brazil                   | +55 11 3197 5891                  |
|                    | USA and Canada          | +1 215 207 0061                  |       | Chile                    | +56 2 2582 9336                   |
|                    | USA and Canada          | +1 202 464 2554                  |       | Colombia                 | +57 1 508 7337                    |
| Global             | Global                  | +44 1865 407333                  |       | Argentina                | +54 11 5984 3690                  |

#### Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25  
Sales & Distribution Information: VE01/FR/CH11/01  
Shipping Order Information: 30 244 920/25 833 472

## SAFETY DATA SHEET

Prepared in accordance with the provisions of KKDIK Annex-2  
Regulation, 23.06.2017, No: 30105

# Givaudan

### REFRESHING WOOD

Version 3.0

Revision Date 07 MAY 2024

Print Date 07 MAY 2024

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Information displayed in section 3 (Composition/information on ingredients) is additional information to understand the hazards of the product and ensure safe handling, storage and transportation. This information, including CAS numbers, is not meant to be used for registration, notification or any other purposes. Any additional information and documentation needed may be provided by Givaudan.

#### Prepared by

Name Surname: Esra Kurtoğlu

Contact Information: esra.purcek@givaudan.com

Certification Number: KDU-A-0-0250

#### Administrative information:

Report Information: SDS\_TR/EN/GHS\_SDS\_TR/25

Sales & Distribution Information: VE01/FR/CH11/01

Shipping Order Information: 30 244 920/25 833 472